

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110


CBN Tincture

Batch ID or Lot Number: SLT-011724	Test: Potency	Reported: 22Jan2024	USDA License: N/A
Matrix: Concentrate	Test ID: T000268051	Started: 19Jan2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 18Jan2024	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.006	0.017	ND	ND	
Cannabichromenic Acid (CBCA)	0.006	0.016	ND	ND	
Cannabidiol (CBD)	0.016	0.044	ND	ND	
Cannabidiolic Acid (CBDA)	0.016	0.045	ND	ND	
Cannabidivarin (CBDV)	0.004	0.010	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.007	0.019	ND	ND	
Cannabigerol (CBG)	0.004	0.010	ND	ND	
Cannabigerolic Acid (CBGA)	0.015	0.041	ND	ND	
Cannabinol (CBN)	0.005	0.013	1.020	10.20	
Cannabinolic Acid (CBNA)	0.011	0.028	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.018	0.049	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.017	0.044	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.015	0.039	ND	ND	
Tetrahydrocannabivarin (THCV)	0.003	0.009	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.013	0.035	ND	ND	
Total Cannabinoids			1.020	10.20	
Total Potential THC			ND	ND	
Total Potential CBD			ND	ND	

Final Approval



Sam Smith
22Jan2024
12:09:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
22Jan2024
12:14:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/61439492-b46d-4c82-ba8e-85437d9e6b9c>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
61439492b46d4c82ba8e85437d9e6b9c.1